ISSN 0022-0957

JXB

Journal of Experimental Botany

www.jxb.oupjournals.org

An official publication of the Society for Experimental Biology and of the Federation of European Societies for Plant Physiology

Volume 52

OXFORD
UNIVERSITY PRESS
2001

© Oxford University Press 2001

Typeset and printed by The Charlesworth Group, Huddersfield, UK, 01484 517077

Editorial Committee

Editor
BILL DAVIES

Associate Editors
ELIZABETH BRAY
KARL-JOSEF DIETZ
ERWIN DREYER
MICHAEL EMES
CHRISTINE FOYER
JOHN HALL
WOLFRAM HARTUNG
TOSHIHARU HASE
ELIOT HERMAN
DIRK INZÉ
JAMES MORISON
RICHARD NAPIER
JERRY ROBERTS
TOM SINCLAIR
ERNST STEUDLE
FRANÇOIS TARDIEU
STEPHEN TYERMAN

Advisory Board
CHRIS ATKINSON
NEIL BAKER
PETER BARLOW
NICK BATTEY
DEREK BEWLEY
MICHAEL BLATT
KENT BRADFORD
DONALD BRISKIN
JOHN BRYANT
TONY BUCHALA
THOMAS BUCKHOUT
MANUELA CHAVES
HAMISH COLLIN
MICHAEL DAVEY
SERGE DELROT
LIAM DOLAN
ROLAND DOUCE
DAVID EVANS
HUBERT FELLE
BILL FINCH-SAVAGE
BRIAN FORDE
DENNIS FRANCIS
GAD GALILI
HOWARD GRIFFITHS
JEREMY HARBINSON
JOHN HARWOOD
MALCOLM HAWKESFORD
HERMAN HEILMEIER
HERIBERT HIRT
DIETER JESCHKE
HAMLYN JONES
CSABA KONCZ
PETER LEA
RICHARD LEEGOOD
ROGER LEIGH
PETER LUMSDEN
JAMES MACDUFF
MIKE MALONE
JIM McDONALD
PETER MILLARD
ANTHONY MILLER
FRANK MINCHIN
PETER MINCHIN
GRAHAM NOCTOR
MARTIN PARRY
JOHN PATRICK
JOÃO PEREIRA
CAROL PETERSON
ALISON POWELL
JEAN-LOUIS PRIOUL
STEVE QUARRIE
GEORGE RATCLIFFE
STEPHEN RAWSTHORNE
ZDENKO RENGEL
MARKUS RIEDERER
DAVID ROBINSON
FUMIHIKO SATO
ANTON SCHÄFFNER
E-D SCHULZE
ULRICH SCHURR
TOM SHARKEY
ROBERT SHARP
BARRY SHELP
NICHOLAS SMIRNOFF
JOHN SPERRY
JANET SPRENT
MARTIN STEER
JOHN STREETER
JANE TAYLOR
ICHIRO TERASHIMA
HOWARD THOMAS
NEIL TURNER
ALESSANDRO VITALE
TREVOR WANG
IAN WOODROW

Managing Editor
MARY TRAYNOR

Assistant Editor
RAQUEL GONZALEZ CUESTA

Technical Editor
PAM ROGERS

Editorial Assistant
JANE BASTERFIELD

Contents

Number 354

Perspectives in Experimental Botany

León J, Rojo E, Sánchez-Serrano JJ. Wound signalling in plants (Review article) 1

Schaller F. Enzymes of the biosynthesis of octadecanoid-derived signalling molecules (Review article) 11

Cell and Molecular Biology, Biochemistry and Molecular Physiology

Ranieri A, Castagna A, Baldan B, Soldatini GF. Iron deficiency differently affects peroxidase isoforms in sunflower 25

Aubert S, Bligny R, Douce R, Gout E, Ratcliffe RG, Roberts JKM. Contribution of glutamate dehydrogenase to mitochondrial glutamate metabolism studied by ^{13}C and ^{31}P nuclear magnetic resonance 37

Row PE, Gray JC. Chloroplast precursor proteins compete to form early import intermediates in isolated pea chloroplasts 47

Row PE, Gray JC. The effect of amino acid-modifying reagents on chloroplast protein import and the formation of early import intermediates 57

Rogers HJ, Maund SL, Johnson LH. A β-galactosidase-like gene is expressed during tobacco pollen development 67

Quartacci MF, Cosi E, Navari-Izzo F. Lipids and NADPH-dependent superoxide production in plasma membrane vesicles from roots of wheat grown under copper deficiency or excess 77

Regulation of Growth, Development and Whole Organism Physiology

El-Gendy W, Brownleader MD, Ismail H, Clarke PJ, Gilbert J, El-Bordiny F, Trevan M, Hopkins J, Naldrett M, Jackson P. Rapid deposition of wheat cell wall structural proteins in response to *Fusarium*-derived elicitors 85

Jin X, Zhu J, Zeiger E. The hypocotyl chloroplast plays a role in phototropic bending of *Arabidopsis* seedlings: developmental and genetic evidence 91

Quintero JM, Molina R, Fournier JM, Benlloch M, Ramos J. Glucose-induced activation of rubidium transport and water flux in sunflower root systems 99

Banik M, Bourgault R, Bewley JD. Endo-β-mannanase is present in an inactive form in ripening tomato fruits of the cultivar Walter 105

Prosser IM, Purves JV, Saker LR, Clarkson DT. Rapid distribution of nitrogen metabolism and nitrate transport in spinach plants deprived of sulphate 113

Ma Q, Behboudian MH, Turner NC, Palta JA. Gas exchange by pods and subtending leaves and internal recycling of CO_2 by pods of chickpea (*Cicer arietinum* L.) subjected to water deficits 123

Plants and the Environment

Schwanz P, Polle A. Differential stress responses of antioxidative systems to drought in pendunculate oak (*Quercus robur*) and maritime pine (*Pinus pinaster*) grown under high CO_2 concentrations 133

Sato Y, Murakami T, Funatsuki H, Matsuba S, Saruyama H, Tanida M. Heat shock-mediated APX gene expression and protection against chilling injury in rice seedlings 145

Vadez V, Sinclair TR. Leaf ureide degradation and N_2 fixation tolerance to water deficit in soybean 153

Short Communications

Wurtzel ET, Luo R, Yatou O. A simple approach to identify the first rice mutants blocked in carotenoid biosynthesis 161

Clark LJ, Whalley WR, Barraclough PB. Partial mechanical impedance can increase the turgor of seedling pea roots 167

Haupt S, Oparka KJ, Sauer N, Neumann S. Macromolecular trafficking between *Nicotiana tabacum* and the holoparasite *Cuscuta reflexa* 173

Gene Notes

López-Serano M, Del Campo EM, Sabater B, Martin M. Primary transcripts of *ndhD* of Liliaceae and Aloaceae require editing of the start and 20th codons 179

Vranová E, Tähtiharju S, Sriprang R, Willekens H, Heino P, Palva ET, Inzé D, Van Camp W. The AKT3 potassium channel protein interacts with the AtPP2CA protein phosphatase 2C 181

Number 355

Perspectives in Experimental Botany

Larkins B, Dilkes BP, Dante RA, Coelho CM, Woo Y, Liu Y. Investigating the hows and whys of DNA endoreduplication (Review article) 183

Bryant JA, Moore K, Aves SJ. Origins and complexes: the initiation of DNA replication (Review article) 193

Cell and Molecular Biology, Biochemistry and Molecular Physiology

Thumma BR, Naidu BP, Chandra A, Cameron DF, Bahnisch LM, Liu C. Identification of causal relationships among traits related to drought resistance in *Stylosanthes scabra* using QTL analysis 203

Davletova S, Mészáros T, Miskolczi P, Oberschall A, Török K, Magyar Z, Dudits D, Deák M. Auxin and heat shock activation of a novel member of the calmodulin like domain protein kinase gene family in cultured alfalfa cells 215

Kiyosawa K. Ca^{2+} and phosphate releases from calcified *Chara* cell walls in concentrated KCl solution 223

Biondi S, Scaramagli S, Capitani F, Altamura MM, Torrigiani P. Methyl jasmonate upregulates biosynthetic gene expression, oxidation and conjugation of polyamines, and inhibits shoot formation in tobacco thin layers 231

© Society for Experimental Biology 2001

LAMACCHIA C, SHEWRY PR, DI FONZO N, FORSYTH JL, HARRIS N, LAZZERI PA, NAPIER JA, HALFORD NG, BARCELO P. Endosperm-specific activity of a storage protein gene promoter in transgenic wheat seed 243

Regulation of Growth, Development and Whole Organism Physiology

TODE K, LÜTHEN H. Fusicoccin- and IAA-induced elongation growth share the same pattern of K^+ dependence 251

ZWIENIECKI MA, MELCHER PJ, HOLBROOK NM. Hydraulic properties of individual xylem vessels of *Fraxinus americana* 257

FITZELLE KJ, KISS JZ. Restoration of gravitropic sensitivity in starch-deficient mutants of *Arabidopsis* by hypergravity 265

OHTAKE N, SATO T, FUJIKAKE H, SUEYOSHI K, OHYAMA T, ISHIOKA N-S, WATANABE S, OSA A, SEKINE T, MATSUHASHI S, ITO T, MIZUNIWA C, KUME T, HASHIMOTO S, UCHIDA H, TSUJI A. Rapid N transport to pods and seeds in N-deficient soybean plants 277

GONZÁLEZ EM, GÁLVEZ L, ARRESE-IGOR C. Abscisic acid induces a decline in nitrogen fixation that involves leghaemoglobin, but is independent of sucrose synthase activity 285

JIA W, ZHANG J, LIANG J. Initiation and regulation of water deficit-induced abscisic acid accumulation in maize leaves and roots: cellular volume and water relations 295

ZHANG SQ, OUTLAW JR WH, AGHORAM K. Relationship between changes in the guard-cell abscisic-acid content and other stress-related physiological parameters in intact plants 301

WALKER RL, BURNS IG, MOORBY J. Responses of plant growth rate to nitrogen supply: a comparison of relative addition and N interruption treatments 309

NIJSSE J, VAN DER HEIJDEN GWAM, VAN IEPEREN W, KEIJZER CJ, VAN MEETEREN U. Xylem hydraulic conductivity related to conduit dimensions along Chrysanthemum stems 319

Plants and the Environment

NIELSEN KL, ESHEL A, LYNCH JP. The effect of phosphorus availability on the carbon economy of contrasting common bean (*Phaseolus vulgaris* L.) genotypes 329

JIANG Y, HUANG B. Effects of calcium on antioxidant activities and water relations associated with heat tolerance in two cool-season grasses 341

VIEIRA SANTOS CL, CAMPOS A, AZEVEDO H, CALDEIRA G. *In situ* and *in vitro* senescence induced by KCl stress: nutritional imbalance, lipid peroxidation and antioxidant metabolism 351

KOYAMA H, TODA T, HARA T. Brief exposure to low-pH stress causes irreversible damage to the growing root in *Arabidopsis thaliana*: pectin–Ca interaction may play an important role in proton rhizotoxicity 361

Methods Paper

HULTINE KR, MARSHALL JD. A comparison of three methods for determining the stomatal density of pine needles 369

Gene Notes

KUSABA S, HONDA C, KANO-MURAKAMI Y. Isolation and expression analysis of gibberellin 20-oxidase homologous gene in apple 375

WAKI K, SHIBUYA K, YOSHIOKA T, HASHIBA T, SATOH S. Cloning of a cDNA encoding EIN3-like protein (DC-EIL1) and decrease in its mRNA level during senescence in carnation flower tissues 377

Special issue: Roots: from gene to ecosystem

Roots Evolution

RAVEN JA, EDWARDS D. Roots: evolutionary origins and biogeochemical significance 381

Root Development

BEECKMAN T, BURSSENS S, INZÉ D. The peri-*cell*-cycle in *Arabidopsis* 403

DOLAN L, COSTA S. Evolution and genetics of root hair stripes in the root epidermis 413

MATHESIUS U. Flavonoids induced in cells undergoing nodule organogenesis in white clover are regulators of auxin breakdown by peroxidase 419

Root Physiology

BOREL C, AUDRAN C, FREY A, MARION-POLL A, TARDIEU F, SIMONNEAU T. *Nicotiana plumbaginifolia*: zeaxanthin epoxidase transgenic lines have unaltered baseline ABA accumulations in roots and xylem sap, but contrasting sensitivities of ABA accumulation to water deficit 427

PARSONS R, SUNLEY RJ. Nitrogen nutrition and the role of root–shoot nitrogen signalling, particularly in symbiotic systems 435

TESTER M, LEIGH RA. Partitioning of nutrient transport processes in roots 445

Root Molecular Biology

BRUCE W, DESBONS P, CRASTA O, FOLKERTS O. Gene expression profiling of two related maize inbred lines with contrasting root lodging traits 459

HARRIER LA. The arbuscular mycorrhizal symbiosis: a molecular review of the fungal dimension 469

Roots and their Environment

SKENE KR. Cluster roots: model experimental tools for key biological problems 479

WHIPPS J. Microbial interactions and biocontrol in the rhizosphere 487

Number 356

Special Issue: Cellular Compartmentation of Plant Metabolism

Specialization of Organelles and Compartmentation of Metabolism between Cells

BOWSHER CG, TOBIN AK. Compartmentation of metabolism within mitochondria and plastids 513

HANSON MR, KÖHLER RH. GFP imaging: methodology and application to investigate cellular compartmentation of metabolism in plants 529

MILLER AJ, COOKSON SJ, SMITH SJ, WELLS DM. The use of microelectrodes to investigate compartmentation and the transport of metabolized inorganic ions in plants 541
PATRICK JW, OFFLER CE. Compartmentation of transport and transfer events in developing seeds 551
WALKER RP, CHEN Z-H, JOHNSON KE, FAMIANI F, TECSI L, LEEGOOD RC. Using immunohistochemistry to study plant metabolism: the examples of its use in the localization of amino acids in plant tissues, and of phosphoenolpyruvate carboxykinase and its possible role in pH regulation 565
EDWARDS GE, FRANCESCHI VR, KU MSB, VOZNESENSKAYA EV, PYANKOV VI, ANDREO CS. Compartmentation of photosynthesis in cells and tissues of C_4 plants 577
TOBIN AK, YAMAYA T. Cellular compartmentation of ammonium assimilation in rice and barley 591

Approaches to Understanding Metabolism at the Single Cell

OUTLAW JR WH, ZHANG S. Single-cell dissection and microdroplet chemistry 605
BAKER NR, OXBOROUGH K, LAWSON T, MORISON JIL. High resolution imaging of photosynthetic activities of tissues, cells and chloroplasts in leaves 615
TOMOS AD, SHARROCK RA. Cell sampling and analysis (SiCSA): metabolites measured at single cell resolution 623
FRICKER MD, MEYER AJ. Confocal imaging of metabolism *in vivo*: pitfalls and possibilities 631
KÖCKENBERGER W. Nuclear magnetic resonance microimaging in the investigation of plant cell metabolism 641

Number 357

Perspectives in Experimental Botany

ADAMS SR, PEARSON S, HADLEY P. Improving quantitative flowering models through a better understanding of the phases of photoperiod sensitivity (Review article) 655

Cell and Molecular Biology, Biochemistry and Molecular Physiology

CAREY AT, SMITH DL, HARRISON E, BIRD CR, GROSS KC, SEYMOUR GB, TUCKER GA. Down-regulation of a ripening-related β-galactosidase gene (TBG1) in transgenic tomato fruits 663
MADEY E, NOWACK LM, SU L, HONG Y, HUDAK KA, THOMPSON JE. Characterization of plasma membrane domains enriched in lipid metabolites 669
TEBAYASHI S, ISHIHARA A, IWAMURA H. Elicitor-induced changes in isoflavonoid metabolism in red clover roots 681
PANDEY S, SOPORY SK. *Zea mays* CCaMK: autophosphorylation-dependent substrate phosphorylation and down-regulation by red light 691

Regulation of Growth, Development and Whole Organism Physiology

BAILLY C, AUDIGIER C, LADONNE F, WAGNER MH, COSTE F, CORBINEAU F, CÔME D. Changes in oligosaccharide content and antioxidant enzyme activities in developing bean seeds as related to acquisition of drying tolerance and seed quality 701
KEUNECKE M, LINDNER B, SEYDEL U, SCHULZ A, HANSEN U-P. Bundle sheath cells of small veins in maize leaves are the location of uptake from the xylem 709
DIELEN V, LECOUVET V, DUPONT S, KINET J-M. *In vitro* control of floral transition in tomato (*Lycopersicon esculentum* Mill.), the model for autonomously flowering plants, using the late flowering *uniflora* mutant 715
FELLNER M, ZHANG R, PHARIS RP, SAWHNEY VK. Reduced de-etiolation of hypocotyl growth in a tomato mutant is associated with hypersensitivity to, and high endogenous levels of, abscisic acid 725
KAMALUDDIN M, ZWIAZEK JJ. Metabolic inhibition of root water flow in red-osier dogwood (*Cornus stolonifera*) seedlings 739
JAMES EK, OLIVARES FL, DE OLIVEIRA ALM, DOS REIS JR FB, DA SILVA LG, REIS VM. Further observations on the interaction between sugar cane and *Gluconacetobacter diazotrophicus* under laboratory and greenhouse conditions 747
EL MESKAOUI A, TREMBLAY FM. Involvement of ethylene in the maturation of black spruce embryogenic cell lines with different maturation capacities 761

Plants and the Environment

EICHERT T, BURKHARDT J. Quantification of stomatal uptake of ionic solutes using a new model system 771
MATZNER SL, RICE KJ, RICHARDS JH. Intra-specific variation in xylem cavitation in interior live oak (*Quercus wislizenii* A.DC.) 783
KIDD PS, PROCTOR J. Why plants grow poorly on very acid soils: are ecologists missing the obvious? 791
GALE J, RACHMILEVITCH S, REUVENI J, VOLOKITA M. The high oxygen atmosphere toward the end-Cretaceous; a possible contributing factor to the K/T boundary extinctions and to the emergence of C_4 species 801
DALLA VECCHIA F, BARBATO R, LA ROCCA N, MORO I, RASCIO N. Responses to bleaching herbicides by leaf chloroplasts of maize plants grown at different temperatures 811
NKOA R, COULOMBE J, DESJARDINS Y, TREMBLAY N. Towards optimization of growth via nutrient supply phasing: nitrogen supply phasing increases broccoli (*Brassica oleracea* var. *italica*) growth and yield 821
PITTERMANN J, SAGE RF. The response of the high altitude C_4 grass *Muhlenbergia montana* (Nutt.) A.S. Hitchc. to long- and short-term chilling 829
BROADLEY MR, ESCOBAR-GUTIÉRREZ AJ, BOWEN HC, WILLEY NJ, WHITE PJ. Influx and accumulation of Cs^+ by the *akt1* mutant of *Arabidopsis thaliana* (L.) Heynh. lacking a dominant K^+ transport system 839

Methods Papers

SPOLAORE S, TRAINOTTI L, CASADORO G. A simple protocol for transient gene expression in ripe fleshy fruit mediated by *Agrobacterium* 845
JAYAPRAKASH P, SARLA N. Development of an improved medium for germination of *Cajanus cajan* (L.) Millsp. pollen *in vitro* 851
PASTORI GM, WILKINSON MD, STEELE SH, SPARKS CA, JONES HD, PARRY MAJ. Age-dependent transformation frequency in élite wheat varieties 857
RASCO-GAUNT S, RILEY A, CANNELL M, BARCELO P, LAZZERI PA. Procedures allowing the transformation

of a range of European élite wheat (*Triticum aestivum* L.) varieties via particle bombardment 865

Gene Notes

NAKAMURA S, TOYAMA T. Isolation of a VP1 homologue from wheat and analysis of its expression in embryos of dormant and non-dormant cultivars 875

YAZAKI K, SHITAN N, TAKAMATSU H, UEDA K, SATO F. A novel *Coptis japonica* multidrug-resistant protein preferentially expressed in the alkaloid-accumulating rhizome 877

Number 358

Perspectives in Experimental Botany

NGUYEN-QUOC B, FOYER CH. A role for 'futile cycles' involving invertase and sucrose synthase in sucrose metabolism of tomato fruit (Review article) 881

Opinion Paper

WHITE PJ. The pathways of calcium movement to the xylem 891

Cell and Molecular Biology, Biochemistry and Molecular Physiology

COUTOS-THÉVENOT P, POINSSOT B, BONOMELLI A, YEAN H, BREDA C, BUFFARD D, ESNAULT R, HAIN R, BOULAY M. *In vitro* tolerance to *Botrytis cinerea* of grapevine 41B rootstock in transgenic plants expressing the stilbene synthase *Vst*1 gene under the control of a pathogen-inducible PR 10 promoter 901

RAMIS C, GOMORD V, LEROUGE P, FAYE L. Deglycosylation is necessary but not sufficient for activation of proconcanavalin A 911

SACANDÉ M, GOLOVINA EA, VAN AELST AC, HOEKSTRA FA. Viability loss of neem (*Azadirachta indica*) seeds associated with membrane phase behaviour 919

LÓPEZ-VILLALOBOS A, DODDS PF, HORNUNG R. Changes in fatty acid composition during development of tissues of coconut (*Cocos nucifera* L.) embryos in the intact nut and *in vitro* 933

MÜLLER J, BOLLER T, WIEMKEN A. Trehalose becomes the most abundant non-structural carbohydrate during senescence of soybean nodules 943

VAN LEEUWEN W, RUTTINK T, BORST-VRENSSEN AWM, VAN DER PLAS LHW, VAN DER KROL AR. Characterization of position-induced spatial and temporal regulation of transgene promoter activity in plants 949

WHITTAKER A, BOCHICCHIO A, VAZZANA C, LINDSEY G, FARRANT J. Changes in leaf hexokinase activity and metabolite levels in response to drying in the desiccation-tolerant species *Sporobolus stapfianus* and *Xerophyta viscosa* 961

GULLNER G, KÖMIVES T, RENNENBERG H. Enhanced tolerance of transgenic poplar plants overexpressing γ-glutamylcysteine synthetase towards chloroacetanilide herbicides 971

Regulation of Growth, Development and Whole Organism Physiology

VAN IEPEREN W, NIJSSE J, KEIJZER CJ, VAN MEETEREN U. Induction of air embolism in xylem conduits of pre-defined diameter 981

GRELET G-A, ALEXANDER IJ, PROE MF, FROSSARD J-S, MILLARD P. Leaf habit influences nitrogen remobilization in *Vaccinium* species 993

UENO O. Ultrastructural localization of photosynthetic and photorespiratory enzymes in epidermal, mesophyll, bundle sheath, and vascular bundle cells of the C_4 dicot *Amaranthus viridis* 1003

GOLOVINA EA, HOEKSTRA FA, VAN AELST AC. The competence to acquire cellular desiccation tolerance is independent of seed morphological development 1015

CHANG S-C, CHO MH, KANG BG, KAUFMAN PB. Changes in starch content in oat (*Avena sativa*) shoot pulvini during the gravitropic response 1029

SCHULZE W, SCHULZE ED, SCHULZE I, OREN R. Quantification of insect nitrogen utilization by the venus fly trap *Dionaea muscipula* catching prey with highly variable isotope signatures 1041

MA F, PETERSON CA. Frequencies of plasmodesmata in *Allium cepa* L. roots: implications for solute transport pathways 1051

PINHEIRO C, CHAVES MM, RICARDO CP. Alterations in carbon and nitrogen metabolism induced by water deficit in the stems and leaves of *Lupinus albus* L. 1063

FUENTES SI, ALLEN DJ, ORTIZ-LOPEZ A, HERNÁNDEZ G. Over-expression of cytosolic glutamine synthetase increases photosynthesis and growth at low nitrogen concentrations 1071

Plants and the Environment

PIETERS AJ, PAUL MJ, LAWLOR DW. Low sink demand limits photosynthesis under Pi deficiency 1083

TOLAY I, ERENOGLU B, RÖMHELD V, BRAUN HJ, CAKMAK I. Phytosiderophore release in *Aegilops tauschii* and *Triticum* species under zinc and iron deficiencies 1093

DIXIT V, PANDEY V, SHYAM R. Differential antioxidative responses to cadmium in roots and leaves of pea (*Pisum sativum* L. cv. Azad) 1101

Short Communications

VAHALA T, OXELMAN B, VON ARNOLD S. Two *APETALA2*-like genes of *Picea abies* are differentially expressed during development 1111

LEE R-H, WANG C-H, HUANG L-T, CHEN S-CG. Leaf senescence in rice plants: cloning and characterization of senescence up-regulated genes 1117

HANNAH MA, IQBAL MJ, SANDERS FE. Adaptation to long-term cold-girdling in genotypes of common bean (*Phaseolus vulgaris* L.) 1123

WHALLEY WR, LIPIEC J, FINCH-SAVAGE WE, COPE RE, CLARK LJ, ROWSE HR. Water stress can induce quiescence in newly-germinated onion (*Allium cepa* L.) seedlings 1129

Methods Paper

AMOAH BK, WU H, SPARKS C, JONES HD. Factors influencing *Agrobacterium*-mediated transient expression of *uid*A in wheat inflorescence tissue 1135

Gene Note

DUBOS C, PLOMION C. Drought differentially affects expression of a PR-10 protein, in needles of maritime pine (*Pinus pinaster* Ait.) seedlings 1143

Number 359

Perspectives in Experimental Botany

MILBORROW BV. The pathway of biosynthesis of abscisic acid in vascular plants: a review of the present state of knowledge of ABA biosynthesis (Review article) 1145

Cell and Molecular Biology, Biochemistry and Molecular Physiology

WEINER H, KAISER WM. Antibodies to assess phosphorylation of spinach leaf nitrate reductase on serine 543 and its binding to 14-3-3 proteins 1165

BERESTOVSKY GN, TERNOVSKY VI, KATAEV AA. Through pore diameter in the cell wall of *Chara corallina* 1173

BLOKHINA OB, CHIRKOVA TV, FAGERSTEDT KV. Anoxic stress leads to hydrogen peroxide formation in plant cells 1179

SEIXAS DA-SILVA W, REZENDE GL, GALINA A. Subcellular distribution and kinetic properties of cytosolic and non-cytosolic hexokinases in maize seedling roots: implications for hexose phosphorylation 1191

ACEVEDO R, MORENO DIAZ DE LA ESPINA S, FERNÁNDEZ-GÓMEZ ME, CUADRADO A, JOUVE N, DE LA TORRE C. Dormancy and proliferation in *Saccharum officinarum* × *S. spontaneum* hybrids which differ in the number of the introgressed *S. spontaneum* chromosomes 1203

OBARA M, KAJIURA M, FUKUTA Y, YANO M, HAYASHI M, YAMAYA T, SATO T. Mapping of QTLs associated with cytosolic glutamine synthetase and NADH-glutamate synthase in rice (*Oryza sativa* L.) 1209

CHEN H-J, HOU W-C, KUĆ J, LIN Y-H. Ca^{2+}-dependent and Ca^{2+}-independent excretion modes of salicylic acid in tobacco cell suspension culture 1219

KASHA KJ, HU TC, ORO R, SIMION E, SHIM YS. Nuclear fusion leads to chromosome doubling during mannitol pretreatment of barley (*Hordeum vulgare* L.) microspores 1227

FEURTADO JA, BANIK M, BEWLEY JD. The cloning and characterization of α-galactosidase present during and following germination of tomato (*Lycopersicon esculentum* Mill.) seed 1239

Regulation of Growth, Development and Whole Organism Physiology

HÄNSCH R, FESSEL DG, WITT C, HESBERG C, HOFFMANN G, WALCH-LIU P, ENGELS C, KRUSE J, RENNENBERG H, KAISER WM, MENDEL R-R. Tobacco plants that lack expression of functional nitrate reductase in roots show changes in growth rates and metabolite accumulation 1251

MULLER B, REYMOND M, TARDIEU F. The elongation rate at the base of a maize leaf shows an invariant pattern during both the steady-state elongation and the establishment of the elongation zone 1259

ZDUNEK E, LIPS SH. Transport and accumulation rates of abscisic acid and aldehyde oxidase activity in *Pisum sativum* L. in response to suboptimal growth conditions 1269

ZHU Y-G, SMITH SE, SMITH FA. Plant growth and cation composition of two cultivars of spring wheat (*Triticum aestivum* L.) differing in P uptake efficiency 1277

STÖHR C, MÄCK G. Diurnal changes in nitrogen assimilation of tobacco roots 1283

THOMPSON DS. Extensiometric determination of the rheological properties of the epidermis of growing tomato fruit 1291

KAISER H, KAPPEN L. Stomatal oscillations at small apertures: indications for a fundamental insufficiency of stomatal feedback-control inherent in the stomatal turgor mechanism 1303

Plants and the Environment

THORNTON B. Uptake of glycine by non-mycorrhizal *Lolium perenne* 1315

HE J, LEE SK, DODD IC. Limitations to photosynthesis of lettuce grown under tropical conditions: alleviation by root-zone cooling 1323

LAPOINTE G, LUCKEVICH MD, CLOUTIER M, SÉGUIN A. 14-3-3 gene family in hybrid poplar and its involvement in tree defence against pathogens 1331

KIDD PS, LLUGANY M, POSCHENRIEDER C, GUNSÉ B, BARCELÓ J. The role of root exudates in aluminium resistance and silicon-induced amelioration of aluminium toxicity in three varieties of maize (*Zea mays* L.) 1339

Methods Paper

CARDEN DE, DIAMOND D, MILLER AJ. An improved Na^+-selective microelectrode for intracellular measurements in plant cells 1353

Short Communications

COCHARD H, FORESTIER S, AMÉGLIO T. A new validation of the Scholander pressure chamber technique based on stem diameter variations 1361

JOHN CF, MORRIS K, JORDAN BR, THOMAS B, A-H-MACKERNESS S. Ultraviolet-B exposure leads to up-regulation of senescence-associated genes in *Arabidopsis thaliana* 1367

STOROZHENKO S, INZÉ D, VAN MONTAGU M, KUSHNIR S. *Arabidopsis* coactivator ALY-like proteins, DIP1 and DIP2, interact physically with the DNA-binding domain of the Zn-finger poly(ADP-ribose) polymerase 1375

Gene Note

BOUDOLF V, ROMBAUTS S, NAUDTS M, INZÉ D, DE VEYLDER L. Identification of novel cyclin-dependent kinases interacting with the CKS1 protein of *Arabidopsis* 1381

Number 360

Perspectives in Experimental Botany

PAUL MJ, FOYER CH. Sink regulation of photosynthesis (Review article) 1383

Cell and Molecular Biology, Biochemistry and Molecular Physiology

SETTER TL, FLANNIGAN BA. Water deficit inhibits cell division and expression of transcripts involved in cell proliferation and endoreduplication in maize endosperm 1401

CALLOW ME, CRAWFORD S, WETHERBEE R, TAYLOR K, FINLAY JA, CALLOW JA. Brefeldin A affects adhesion of zoospores of the green alga *Enteromorpha* 1409

ABARCA D, ROLDÁN M, MARTÍN M, SABATER B. *Arabidopsis thaliana* ecotype Cvi shows an increased tolerance to photo-oxidative stress and contains a new

chloroplastic copper/zinc superoxide dismutase isoenzyme 1417
VAN DEN HEUVEL KJPT, HULZINK JMR, BARENDSE GWM, WULLEMS GJ. The expression of *tgas118*, encoding a defensin in *Lycopersicon esculentum*, is regulated by gibberellin 1427
HARRISON EP, MCQUEEN-MASON SJ, MANNING K. Expression of six expansin genes in relation to extension activity in developing strawberry fruit 1437
OUGHAM HJ, THOMAS AM, THOMAS BJ, FRICK GA, ARMSTRONG GA. Both light-dependent protochlorophyllide oxidoreductase A and protochlorophyllide oxidoreductase B are down-regulated in the *slender* mutant of barley 1447
WIŚNIEWSKI K, ZAGDAŃSKA B. Genotype-dependent proteolytic response of spring wheat to water deficiency 1455

Regulation of Growth, Development and Whole Organism Physiology

SEYMOUR RS. Diffusion pathway for oxygen into highly thermogenic florets of the arum lily *Philodendron selloum* 1465
HARRIS NS, TAYLOR GJ. Remobilization of cadmium in maturing shoots of near isogenic lines of durum wheat that differ in grain cadmium accumulation 1473
BOYER JS. Growth-induced water potentials originate from wall yielding during growth 1483
LÓPEZ-MILLÁN AF, MORALES F, ABADÍA A, ABADÍA J. Iron deficiency-associated changes in the composition of the leaf apoplastic fluid from field-grown pear (*Pyrus communis* L.) trees 1489
ROMAGOSA I, PRADA D, MORALEJO MA, SOPENA A, MUÑOZ P, CASAS AM, SWANSTON JS, MOLINA-CANO JL. Dormancy, ABA content and sensitivity of a barley mutant to ABA application during seed development and after ripening 1499
COLMER TD, HUANG S, GREENWAY H. Evidence for down-regulation of ethanolic fermentation and K^+ effluxes in the coleoptile of rice seedlings during prolonged anoxia 1507
FITZGERALD MA, UGALDE TD, ANDERSON JW. Sulphur nutrition affects delivery and metabolism of S in developing endosperms of wheat 1519
VOGT UK. Hydraulic vulnerability, vessel refilling, and seasonal courses of stem water potential of *Sorbus aucuparia* L. and *Sambucus nigra* L. 1527

Plants and the Environment

BEGUM AA, LEIBOVITCH S, MIGNER P, ZHANG F. Specific flavonoids induced *nod* gene expression and preactivated *nod* genes of *Rhizobium leguminosarum* increased pea (*Pisum sativum* L.) and lentil (*Lens culinaris* L.) nodulation in controlled growth chamber environments 1537
LANGENKÄMPER G, MANAC'H N, BROIN M, CUINÉ S, BECUWE N, KUNTZ M, REY P. Accumulation of plastid lipid-associated proteins (fibrillin/CDSP34) upon oxidative stress, ageing and biotic stress in Solanaceae and in response to drought in other species 1545
ROGERS A, ELLSWORTH DS, HUMPHRIES SW. Possible explanation of the disparity between the *in vitro* and *in vivo* measurements of Rubisco activity: a study in loblolly pine grown at elevated pCO_2 1555
PONS TL, JORDI W, KUIPER D. Acclimation of plants to light gradients in leaf canopies: evidence for a possible role for cytokinins transported in the transpiration stream 1563

Methods Paper

SUZUKI Y, MAKINO A, MAE T. An efficient method for extraction of RNA from rice leaves at different ages using benzyl chloride 1575

Short Communications

SAYANOVA O, BEAUDOIN F, LIBISCH B, CASTEL A, SHEWRY PR, NAPIER JA. Mutagenesis and heterologous expression in yeast of a plant Δ^6 fatty acid desaturase 1581
VICIENT CM, GRUBER V, DELSENY M. The *Arabidopsis AtEm1* promoter is active in *Brassica napus* L. and is temporally and spatially regulated 1587

Number 361

Perspectives in Experimental Botany

THORNEYCROFT D, SHERSON SM, SMITH SM. Using gene knockouts to investigate plant metabolism (Review article) 1593

Cell and Molecular Biology, Biochemistry and Molecular Physiology

FAN L-M, WANG Y-F, WANG H, WU W-H. *In vitro Arabidopsis* pollen germination and characterization of the inward potassium currents in *Arabidopsis* pollen grain protoplasts 1603
HERBERT RJ, VILHAR B, EVETT C, ORCHARD CB, ROGERS HJ, DAVIES MS, FRANCIS D. Ethylene induces cell death at particular phases of the cell cycle in the tobacco TBY-2 cell line 1615
RICHARD C, GRANIER C, INZÉ D, DE VEYLDER L. Analysis of cell division parameters and cell cycle gene expression during the cultivation of *Arabidopsis thaliana* cell suspensions 1625
TRAINOTTI L, SPINELLO R, PIOVAN A, SPOLAORE S, CASADORO G. β-Galactosidases with a lectin-like domain are expressed in strawberry 1635

Regulation of Growth, Development and Whole Organism Physiology

TOMMASI F, PACIOLLA C, DE PINTO MC, DE GARA L. A comparative study of glutathione and ascorbate metabolism during germination of *Pinus pinea* L. seeds 1647
ROSSATO L, LAINÉ P, OURRY A. Nitrogen storage and remobilization in *Brassica napus* L. during the growth cycle: nitrogen fluxes within the plant and changes in soluble protein patterns 1655
MALAGUTI D, MILLARD P, WENDLER R, HEPBURN A, TAGLIAVINI M. Translocation of amino acids in the xylem of apple (*Malus domestica* Borkh.) trees in spring as a consequence of both N remobilization and root uptake 1665
DE SOUZA IRP, MACADAM JW. Gibberellic acid and dwarfism effects on the growth dynamics of B73 maize (*Zea mays* L.) leaf blades: a transient increase in apoplastic peroxidase activity precedes cessation of cell elongation 1673

SHEN R, MA JF. Distribution and mobility of aluminium in an Al-accumulating plant, *Fagopyrum esculentum* Moench. 1683

Plants and the Environment

LEIPNER J, OXBOROUGH K, BAKER NR. Primary sites of ozone-induced perturbations of photosynthesis in leaves: identification and characterization in *Phaseolus vulgaris* using high resolution chlorophyll fluorescence imaging 1689

LOHAR DP, SCHULLER K, BUZAS DM, GRESSHOFF PM, STILLER J. Transformation of *Lotus japonicus* using the herbicide resistance *bar* gene as a selectable marker 1697

WISSUWA M, AE N. Genotypic differences in the presence of hairs on roots and gynophores of peanuts (*Arachis hypogaea* L.) and their significance for phosphorus uptake 1703

ORTIZ C, CARDEMIL L. Heat-shock responses in two leguminous plants: a comparative study 1711

HOUOT V, ETIENNE P, PETITOT A-S, BARBIER S, BLEIN J-P, SUTY L. Hydrogen peroxide induces programmed cell death features in cultured tobacco BY-2 cells, in a dose-dependent manner 1721

HUANG L, BELL RW, DELL B. Boron supply into wheat (*Triticum aestivum* L. cv. Wilgoyne) ears whilst still enclosed within leaf sheaths 1731

Gene Note

BROZ AK, THELEN JJ, MUSZYNSKI MG, MIERNYK JA, RANDALL DR. ZMPP2, a novel type-2C protein phosphatase from maize 1739

Number 362

Perspectives in Experimental Botany

MÜNTZ K, BELOZERSKY MA, DUNAEVSKY YE, SCHLERETH A, TIEDEMANN J. Stored proteinases and the initiation of storage protein mobilization in seeds during germination and seedling growth (Review article) 1741

Cell and Molecular Biology, Biochemistry and Molecular Physiology

LEUBNER-METZGER G, MEINS JR F. Antisense-transformation reveals novel roles for class I β-1,3-glucanase in tobacco seed after-ripening and photodormancy 1753

CAPUTO C, FATTA N, BARNEIX AJ. The export of amino acid to the phloem is altered in wheat plants lacking the short arm of chromosome 7B 1761

LAMMERTYN J, FRANCK C, VERLINDEN BE, NICOLAÏ BM. Comparative study of the O_2, CO_2 and temperature effect on respiration between 'Conference' pear cell protoplasts in suspension and intact pears 1769

HARRISON EP, OLCER H, LLOYD JC, LONG SP, RAINES CA. Small decreases in SBPase cause a linear decline in the apparent RuBP regeneration rate, but do not affect Rubisco carboxylation capacity 1779

HÄUSLER RE, RADEMACHER T, LI J, LIPKA V, FISCHER KL, SCHUBERT S, KREUZALER F, HIRSCH H-J. Single and double overexpression of C_4-cycle genes had differential effects on the pattern of endogenous enzymes, attenuation of photorespiration and on contents of UV protectants in transgenic potato and tobacco plants 1785

LU C, LU Q, ZHANG J, KUANG T. Characterization of photosynthetic pigment composition, photosystem II photochemistry and thermal energy dissipation during leaf senescence of wheat plants grown in the field 1805

GROSSMANN K, KWIATKOWSKI J, TRESCH S. Auxin herbicides induce H_2O_2 overproduction and senescence in cleavers (*Galium aparine* L.) 1811

VOGEL G, FIEHN O, J-R-DIT-BRESSEL L, BOLLER T, WIEMKEN A, AESCHBACHER RA, WINGLER A. Trehalose metabolism in *Arabidopsis*: occurrence of trehalose and molecular cloning and characterization of trehalose-6-phosphate synthase homologues 1817

ISHIMARU K, KOBAYASHI N, ONO K, YANO M, OHSUGI R. Are contents of Rubisco, soluble protein and nitrogen in flag leaves of rice controlled by the same genetics? 1827

Regulation of Growth, Development and Whole Organism Physiology

MIYAMOTO N, STEUDLE E, HIRASAWA T, LAFITTE R. Hydraulic conductivity of rice roots 1835

REIDY B, NÖSBERGER J, FLEMING A. Differential expression of XET-related genes in the leaf elongation zone of *F. pratensis* 1847

HERVÉ D, FABRE F, BERRIOS EF, LEROUX N, AL CHAARANI G, PLANCHON C, SARRAFI A, GENTZBITTEL L. QTL analysis of photosynthesis and water status traits in sunflower (*Helianthus annuus* L.) under greenhouse conditions 1857

CHENG L, FUCHIGAMI LH, BREEN PJ. The relationship between photosystem II efficiency and quantum yield for CO_2 assimilation is not affected by nitrogen content in apple leaves 1865

WATSON R, PRITCHARD J, MALONE M. Direct measurement of sodium and potassium in the transpiration stream of salt-excluding and non-excluding varieties of wheat 1873

Plants and the Environment

NING J, CUMMING JR. Arbuscular mycorrhizal fungi alter phosphorus relations of broomsedge (*Andropogon virginicus* L.) plants 1883

SCHREIBER L. Effect of temperature on cuticular transpiration of isolated cuticular membranes and leaf discs 1893

CARDOSO-VILHENA J, BARNES J. Does nitrogen supply affect the response of wheat (*Triticum aestivum* cv. Hanno) to the combination of elevated CO_2 and O_3? 1901

GAVITO ME, CURTIS PS, MIKKELSEN TN, JAKOBSEN I. Interactive effects of soil temperature, atmospheric carbon dioxide, and soil N on root development, biomass and nutrient uptake of winter wheat during vegetative growth 1913

Methods Papers

PRICE LE, BACON MA, YOUNG PC, DAVIES WJ. High-resolution analysis of tomato leaf elongation: the application of novel time series analysis techniques 1925

ROELFSEMA MRG, STEINMEYER R, HEDRICH R. Discontinuous single electrode voltage-clamp measure-

ments: assessment of clamp accuracy in *Vicia faba* guard cells 1933

Short Communication

REDONDO-NEVADO J, MOYANO E, MEDINA-ESCOBAR N, CABALLERO JL, MUÑOZ-BLANCO J. A fruit-specific and developmentally regulated endopolygalacturonase gene from strawberry (*Fragaria* × *ananassa* cv. Chandler) 1941

Gene Notes

DAHAN J, ETIENNE P, PETITOT A-S, HOUOT V, BLEIN J-P, SUTY L. Cryptogein affects expression of α3, α6 and β1 20S proteasome subunits encoding genes in tobacco 1947

BAIGES I, SCHÄFFNER AR, MAS A. Eight cDNA encoding putative aquaporins in *Vitis* hybrid Richter-110 and their differential expression 1949

Number 363

Special issue: Physiology and ecology of plants under stress

SIEFRITZ F, BIELA A, ECKERT M, OTTO B, UEHLEIN N, KALDENHOFF R. The tobacco plasma membrane aquaporin NtAQP1 1953

DIETRICH P, SANDERS D, HEDRICH R. The role of ion channels in light-dependent stomatal opening 1959

DIETZ KJ, TAVAKOLI N, KLUGE C, MIMURA T, SHARMA SS, HARRIS GC, CHARDONNENS AN, GOLLDACK D. Significance of the V-type ATPase for the adaptation to stressful growth conditions and its regulation on the molecular and biochemical level 1969

KAISER WM, HUBER SC. Post-translational regulation of nitrate reductase: mechanism, physiological relevance and environmental triggers 1981

SAUTER A, DAVIES WJ, HARTUNG W. The long-distance abscisic acid signal in the droughted plant: the fate of the hormone on its way from root to shoot 1991

HEBER U, BUKHOV NG, SHUVALOV VA, K.OBAYASHI Y, LANGE OL. Protection of the photosynthetic apparatus against damage by excessive illumination in homoiohydric leaves and poikilohydric mosses and lichens 1999

BILGER W, JOHNSEN T, SCHREIBER U. UV-excited chlorophyll fluorescence as a tool for the assessment of UV-protection by the epidermis of plants 2007

BRINGMANN G, FEINEIS D. Stress-related polyketide metabolism of Dioncophyllaceae and Ancistrocladaceae 2015

RIEDERER M, SCHREIBER L. Protecting against water loss: analysis of the barrier properties of plant cuticles 2023

LANGE OL, GREEN TGA, HEBER U. Hydration-dependent photosynthetic production of lichens: what do laboratory studies tell us about field performance? 2033

HIBBERD JM, JESCHKE WD. Solute flux into parasitic plants 2043

ZOTZ G, HIETZ P, SCHMIDT G. Small plants, large plants: the importance of plant size for the physiological ecology of vascular epiphytes 2051

LINSENMAIR KE, HEIL M, KAISER WM, FIALA B, KOCH T, BOLAND W. Adaptations to biotic and abiotic stress: *Macaranga*-ant plants optimize investment in biotic defence 2057

Number 364

Perspectives in Experimental Botany

ZOTZ G, HIETZ P. The physiological ecology of vascular epiphytes: current knowledge, open questions (Review article) 2067

Cell and Molecular Biology, Biochemistry and Molecular Physiology

CHICHKOVA S, ARELLANO J, VANCE CP, HERNÁNDEZ G. Transgenic tobacco plants that overexpress alfalfa NADH-glutamate synthase have higher carbon and nitrogen content 2079

LE VQ, BELLES-ISLES J, DUSABENYAGASANI M, TREMBLAY FM. An improved procedure for production of white spruce (*Picea glauca*) transgenic plants using *Agrobacterium tumefaciens* 2089

ZHANG D-P, CHEN S-W, PENG Y-B, SHEN Y-Y. Abscisic acid-specific binding sites in the flesh of developing apple fruits 2097

Regulation of Growth, Development and Whole Organism Physiology

XIAO L, KOSTER KL. Desiccation tolerance of protoplasts isolated from pea embryos 2105

SANDALIO LM, DALURZO HC, GÓMEZ M, ROMERO-PUERTAS MC, DEL RÍO LA. Cadmium-induced changes in the growth and oxidative metabolism of pea plants 2115

MONTAGU KD, CONROY JP, ATWELL BJ. The position of localized soil compaction determines root and subsequent shoot growth responses 2127

AMÉGLIO T, COCHARD H, EWERS FW. Stem diameter variations and cold hardiness in walnut trees 2135

JIANG F, LI C, JESCHKE WD, ZHANG F. Effect of top excision and replacement by 1-naphthylacetic acid on partition and flow of potassium in tobacco plants 2143

NOODÉN LD, PENNEY JP. Correlative controls of senescence and plant death in *Arabidopsis thaliana* (Brassicaceae) 2151

VISSENBERG K, FEIJÓ JA, WEISENSEEL MH, VERBELEN J-P. Ion fluxes, auxin and the induction of elongation growth in *Nicotiana tabacum* cells 2161

YANG J, ZHANG J, WANG Z, ZHU Q. Activities of starch hydrolytic enzymes and sucrose-phosphate synthase in the stems of rice subjected to water stress during grain filling 2169

Plants and the Environment

MÜLLER J, WIEMKEN A, BOLLER T. Redifferentiation of bacteria isolated from *Lotus japonicus* root nodules colonized by *Rhizobium* sp. NGR234 2181

FINCH-SAVAGE WE, PHELPS K, STECKEL JRA, WHALLEY WR, ROWSE HR. Seed reserve-dependent growth responses to temperature and water potential in carrot (*Daucus carota* L.) 2187

VERNIERI P, LENZI A, FIGARO M, TOGNONI F, PARDOSSI A. How the roots contribute to the ability of *Phaseolus vulgaris* L. to cope with chilling-induced water stress 2199

SHALATA A, NEUMANN PM. Exogenous ascorbic acid

(vitamin C) increases resistance to salt stress and reduces lipid peroxidation 2207
SCHLÜTER U, CRAWFORD RMM. Long-term anoxia tolerance in leaves of *Acorus calamus* L. and *Iris pseudacorus* L. 2213
SERGHINI K, PEREZ DE LUQUE A, CASTEJÓN-MUÑOZ M, GARCÍA-TORRES L, JORRÍN JV. Sunflower (*Helianthus annuus* L.) response to broomrape (*Orobanche cernua* Loefl.) parasitism: induced synthesis and excretion of 7-hydroxylated simple coumarins 2227

Short Communication

AMTHOR JS, KOCH GW, WILLMS JR, LAYZELL DB. Leaf O_2 uptake in the dark is independent of coincident CO_2 partial pressure 2235

Gene Notes

RAMOS GBA, DE ALMEIDA ENGLER J, FERREIRA PCG, HEMERLY AS. DNA replication in plants: characterization of a *cdc6* homologue from *Arabidopsis thaliana* 2239
RUIZ-LOZANO JM, COLLADOS C, BAREA JM, AZCÓN R. Cloning of cDNAs encoding SODs from lettuce plants which show differential regulation by arbuscular mycorrhizal symbiosis and by drought stress 2241

Number 365

Perspectives in Experimental Botany

HOSE E, CLARKSON DT, STEUDLE E, SCHREIBER L, HARTUNG W. The exodermis: a variable apoplastic barrier (Review article) 2245

Cell and Molecular Biology, Biochemistry and Molecular Physiology

ZLUVOVA J, JANOUSEK B, VYSKOT B. Immunohistochemical study of DNA methylation dynamics during plant development 2265
HELLGREN LI, SANDELIUS AS. Age-dependent variation in membrane lipid synthesis in leaves of garden pea (*Pisum sativum* L.) 2275
GIJZEN M, KUFLU K, QUTOB D, CHERNYS JT. A class I chitinase from soybean seed coats 2283
KÜPPER H, LOMBI E, ZHAO F-J, WIESHAMMER G, MCGRATH SP. Cellular compartmentation of nickel in the hyperaccumulators *Alyssum lesbiacum*, *Alyssum bertolonii* and *Thlaspi goesingense* 2291

Regulation of Growth, Development and Whole Organism Physiology

IRAQI D, TREMBLAY FM. Analysis of carbohydrate metabolism enzymes and cellular contents of sugars and proteins during spruce somatic embryogenesis suggests a regulatory role of exogenous sucrose in embryo development 2301
QUEREIX A, DEWAR RC, GAUDILLERE J-P, DAYAU S, VALANCOGNE C. Sink feedback regulation of photosynthesis in vines: measurements and a model 2313
ROULIN S, FELLER U. Reversible accumulation of (1→3,1→4)-β-glucan endohydrolase in wheat leaves under sugar depletion 2323
VAN DER WEERD L, CLAESSENS MMAE, RUTTINK T, VERGELDT FJ, SCHAAFSMA TJ, VAN AS H. Quantitative NMR microscopy of osmotic stress responses in maize and pearl millet 2333

Plants and the Environment

PAYTON P, WEBB R, KORNYEYEV D, ALLEN R, HOLADAY AS. Protecting cotton photosynthesis during moderate chilling at high light intensity by increasing chloroplastic anti-oxidant enzyme activity 2345
WANG B, LÜTTGE U, RATAJCZAK R. Effects of salt treatment and osmotic stress on V-ATPase and V-PPase in leaves of the halophyte *Suaeda salsa* 2355
OHNO R, TAKUMI S, NAKAMURA C. Expression of a cold-responsive *Lt-Cor* gene and development of freezing tolerance during cold acclimation in wheat (*Triticum aestivum* L.) 2367

Methods Paper

TAULAVUORI E, HELLSTRÖM E-K, TAULAVUORI K, LAINE K. Comparison of two methods used to analyse lipid peroxidation from *Vaccinium myrtillus* (L.) during snow removal, reacclimation and cold acclimation 2375

Short Communication

ROSENKRANZ H, VOGEL R, GREINER S, RAUSCH T. In wounded sugar beet (*Beta vulgaris* L.) tap-root, hexose accumulation correlates with the induction of a vacuolar invertase isoform 2381

Gene Note

SHY G, EHLER L, HERMAN E, GALILI G. Expression patterns of genes encoding endomembrane proteins support a reduced function of the Golgi in wheat endosperm during the onset of storage protein deposition 2387